


NOTES: UNLESS OTHERWISE SPECIFIED
THIS IS A CAD GENERATED DRAWING, DO NOT REVISE MANUALLY

REVISION HISTORY					
ZONE	REV	DESCRIPTION	E.C.O.NO	DATE	APPROVED
	1	ENGINEERING RELEASE			



LRJ-1003


8.5 - 10GHz 旋转关节 Rotary Joint

—电气技术参数 Electrical Specifications—

工作频率 Frequency Range:	8.5 - 10GHz
插入损耗 Insertion Loss:	0.3dB(Max)
插入损耗最大波动值:	0.05dB
电压驻波比 VSWR:	1.25(Max)
驻波比最大波动值:	0.1
耐功率 Power	200W(CW) 5KW(Peak)
工作温度 Operation Temperature:	-40~+70°C
存储温度 Storage Temperature:	-55~+70°C
转动速度 Speed:	60rpm(Max)
寿命 Life:	20*10 ⁶ 转(Min)

—机械技术参数 Mechanical Specification—

接口 Connectors:	R100
样式 Type:	
重量 Weight:	0.8kg



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE MILLIMETER TOLERANCES ARE: DECIMALS ANGLES FRACTIONS .XX±0.1 ±1' ±2/5 .XXX±0.03 .XXX±0.012						P/N: LRJ-1003																													
<table border="1"> <tr> <td>Approvals</td> <td>DATE</td> </tr> <tr> <td>DRWN</td> <td></td> </tr> <tr> <td>ENG</td> <td></td> </tr> <tr> <td>CHK</td> <td></td> </tr> <tr> <td>Q.A.</td> <td></td> </tr> </table>		Approvals	DATE	DRWN		ENG		CHK		Q.A.		<table border="1"> <tr> <td colspan="4">SINGLE CHANNEL WAVEGUIDE ROTARY JOINT 单通道波导旋转关节</td> </tr> <tr> <td>SIZE</td> <td>CAGE NO</td> <td>DWG NO.</td> <td>REV</td> </tr> <tr> <td>A3</td> <td></td> <td></td> <td>1</td> </tr> <tr> <td>SCALE</td> <td>UNIT</td> <td colspan="2">SHEET 1 OF 1</td> </tr> <tr> <td>3:2</td> <td>mm</td> <td colspan="2"></td> </tr> </table>		SINGLE CHANNEL WAVEGUIDE ROTARY JOINT 单通道波导旋转关节				SIZE	CAGE NO	DWG NO.	REV	A3			1	SCALE	UNIT	SHEET 1 OF 1		3:2	mm			<p>www.lairmw.com sales@lairmw.com</p>	
Approvals	DATE																																		
DRWN																																			
ENG																																			
CHK																																			
Q.A.																																			
SINGLE CHANNEL WAVEGUIDE ROTARY JOINT 单通道波导旋转关节																																			
SIZE	CAGE NO	DWG NO.	REV																																
A3			1																																
SCALE	UNIT	SHEET 1 OF 1																																	
3:2	mm																																		